


DETROIT 1" = 5 NM (On Charts L-28 & L-30)




A-1
A-2

23 SEP 2010
UNITED STATES




Federal Aviation
Administration





PUBLISHED IN ACCORDANCE WITH INTERAGENCY AIR CARTOGRAPHIC COMMITTEE SPECIFICATIONS AND AGREEMENTS, APPROVED BY: DEPARTMENT OF DEFENSE • FEDERAL AVIATION ADMINISTRATION



KANSAS CITY 1" = 5 NM (On Charts L-10 & L-27)








MILITARY TRAINING ROUTES

NUMBER	ALTITUDE RANGE	AREA	NUMBER	ALTITUDE RANGE	AREA
IR-18	5000 TO 7000	Jacksonville	VR-163	500 AGL TO 3000	Dallas/Fort Worth
IR-32	5000 TO 7000	Jacksonville	VR-223	500 AGL TO 9000	Phoenix
IR-33	500 AGL TO 6000	Jacksonville	VR-231	100 AGL TO 7000	Phoenix
IR-103	100 AGL TO 5000	Dallas/Fort Worth	VR-239	300 AGL TO 9500	Phoenix
IR-105	100 AGL TO 7000	Dallas/Fort Worth	VR-241	300 AGL TO 9500	Phoenix
IR-139	100 AGL TO 6000	Dallas/Fort Worth	VR-242	300 AGL TO 9000	Phoenix
IR-207	200 AGL TO 15000	San Francisco	VR-243	300 AGL TO 9500	Phoenix
IR-415	300 AGL TO 8000	Denver	VR-244	300 AGL TO 9000	Phoenix
IR-614	500 AGL TO 8000	St Louis	VR-245	300 AGL TO 9000	Phoenix
IR-714	SURFACE TO 6000	Washington	VR-267	300 AGL TO 6000	Phoenix
IR-720	5000 TO 8000	Washington	VR-268	300 AGL TO 6000	Phoenix
IR-760	SURFACE TO 6000	Washington	VR-269	300 AGL TO 6000	Phoenix
VR-104	300 AGL TO 10000	Dallas/Fort Worth	VR-704	100 AGL TO 11000	Washington
VR-118	500 AGL TO 15500	Dallas/Fort Worth	VR-705	100 AGL TO 10000	Washington
VR-142	500 AGL TO 4000	Dallas/Fort Worth	VR-708	100 AGL TO 5500	Washington
VR-158	500 AGL TO 5000	Dallas/Fort Worth			




MILITARY OPERATIONS AREAS

NUMBER	EFFECTIVE ALTITUDE	TIMES USED, UTC			CONTROLLING AGENCY A/G CALL	PANEL
		DAYS	HOURS	WEATHER		
CHICAGO						
MINNOW	10000 *2	Intermittent By NOTAM	Normally Days	VFR-IFR	ZAU CNTR/FSS	A
JACKSONVILLE						
MAYPORT HIGH	3000 *2	Intermittent	2300-0300Z†	VFR-IFR	ZJX CNTR/FSS	C
MAYPORT LOW	1500 To But Not Including 3000	Intermittent	1300-0300Z†	VFR-IFR	ZJX APP CON	C
PHOENIX						
GLADDEN 1	7000 or 5000 AGL Whichever is Higher *2	Mon-Fri *1	1300-0200Z	VFR-IFR	ZAB CNTR/FSS	F
OUTLAW	8000 or 3000 AGL Whichever is Higher *2	Mon-Fri Mon-Fri Intermittent Weekends	1400-0100Z 0100-0500Z By NOTAM	VFR-IFR	ZAB CNTR/FSS	F
SELLS 1	10000 *2	Mon-Fri *1	1300-0200Z	VFR-IFR	ZAB CNTR/FSS	F
SELLS LOW	3000 AGL To But Not Including 10000	Mon-Fri *1	1300-0200Z	VFR-IFR	ZAB CNTR/FSS	F
WASHINGTON						
DEMO 1	500 TO 5000	Intermittent	By NOTAM	VFR-IFR	FAA, POTOMAC TRACON	D
DEMO 2	10000 TO 15000	Intermittent	By NOTAM	VFR-IFR	FAA, POTOMAC TRACON	D
DEMO 3	Above 5000 To 15000	Intermittent	By NOTAM	VFR-IFR	FAA, POTOMAC TRACON	D
HILL	To 3000	Cont	Days	VFR-IFR	FAA POTOMAC APP	D


*1 Other Times By NOTAM

*2 To But Not Including FL 180





NOTE: TERRAIN COUTOURS HAVE BEEN ADDED TO THOSE AREA CHARTS WHERE THE TERRAIN ON THE CHART IS 1000 FOOT OR GREATER THAN THE ELEVATION OF THE PRIMARY AIRPORT



ARTCC three letter ident: Albuquerque ZAB, Atlanta ZTL, Chicago ZOB, Cleveland ZDV, Fort Worth ZFW, Jacksonville ZJX, Kansas City ZKC, Los Angeles ZLA, Miami ZMA, Minneapolis ZMP, Oakland ZOA, Washington ZDC

A - Alert, P - Prohibited, R - Restricted, W - Warning Areas

All altitudes are MSL unless otherwise indicated

FL - Flight Level

Time - Hours shown are UTC unless otherwise indicated

Days - Sunrise to Sunset except Canada where it means 1/2 hr before sunrise to 1/2 hr after sunset

Nights - Sunset to Sunrise except Canada where it means 1/2 hr after sunset to 1/2 hr before sunrise

Cont - Continuous: 24 hrs a day, 7 days a week

‡ - During periods of Daylight Saving Time (DT)

effective hours will be one hour earlier than shown.

NOTAM - Use of this term in Restricted Areas indicates FAA and DaD NOTAM systems. Use of this term in all other Special Use areas indicates the DaD NOTAM system.

SPECIAL USE AIRSPACE

NUMBER	EFFECTIVE ALTITUDE	TIMES USED, UTC			CONTROLLING AGENCY A/G CALL	PANEL
		DAYS	HOURS	WEATHER		
CHICAGO						
R-6903	To FL 450	Intermittent	By NOTAM	VFR-IFR	ZMP CNTR/FSS	A
DALLAS/FORT WORTH						
P-49	To 2000	Cont	Cont	VFR-IFR	No A/G	H
JACKSONVILLE						
P-50	To But Not Including 3000	Cont	Cont	VFR-IFR	No A/G	D
R-2904A	To But Not Including 1800	Apr-Aug Cont *1 Sep-Mar Sat-Sun *1	1300-2200Z‡ 1300-2200Z‡	VFR-IFR	JACKSONVILLE TRACON	D
W-158E	To 1200	Intermittent	By NOTAM	VFR-IFR	JACKSONVILLE TRACON	D
W-158F	1200 To 1700	Intermittent	By NOTAM	VFR-IFR	JACKSONVILLE TRACON	D
LOS ANGELES						
R-2519	Unlid	Cont	Cont	VFR-IFR	ZLA CNTR/FSS	G
W-289	Unlid	Intermittent	By NOTAM	VFR-IFR	ZLA CNTR/FSS	G
MIAMI						
A-291B	To 2500	Days	1100-0500Z‡	VFR	No A/G	D
A-291B	To 3900	Days	1100-0500Z‡	VFR	No A/G	D
A-291C	To 2500	Days	1100-0500Z‡	VFR	No A/G	D
A-291D	To 3900	Days	1100-0500Z‡	VFR	No A/G	D
PHOENIX						
R-2301E	To FL 300	Cont *1	1330-0700Z	VFR-IFR	ZAB CNTR/FSS	F
R-2304	To FL 240	Mon-Sat *1	1330-0700Z	VFR-IFR	ZAB CNTR/FSS	F
R-2305	To FL 240	Mon-Sat *1	1330-0700Z	VFR-IFR	ZAB CNTR/FSS	F
R-2310A	To 40000	Intermittent	By NOTAM	VFR	ZAB CNTR/FSS	F
R-2310B	10000 To 17000	Intermittent	By NOTAM	VFR	ZAB CNTR/FSS	F
R-2310C	17000 To 35000	Intermittent	By NOTAM	VFR	ZAB CNTR/FSS	F
A-231	500 AGL To 6500	Cont	Cont	VFR-IFR	No A/G	F
SAN FRANCISCO						
A-682	To 6000 N of Line To 3000 S of Line	Mon-Fri	1600-0500Z‡	VFR-IFR	No A/G	E
WASHINGTON						
P-40	To But Not Including 5000	Cont	Cont	VFR-IFR	No A/G	‡
P-56	To 4000	Cont	Cont	VFR-IFR	No A/G	D
P-40	To But Not Including 1500	Cont	Cont	VFR-IFR	No A/G	‡
R-4001A	Unlimited To 10000 Higher by NOTAM	Cont Cont By NOTAM	1200-0500Z‡ 0500-1200Z‡ By NOTAM	VFR-IFR	ZDC CNTR/FSS	E
R-4001B	To 10000 Higher by NOTAM	Intermittent By NOTAM	Intermittent By NOTAM	VFR-IFR	ZDC CNTR/FSS	E
R-4002	To 20000	Cont *1	Sunrise to 0500Z‡	VFR-IFR	ZDC CNTR/FSS	E
R-4001B	To But Not Including FL 250	Cont *1	1200-0400Z‡	VFR-IFR	ZDC CNTR/FSS	E
R-4006	3500 To But Not Including FL 250	Cont *1	1200-0400Z‡	VFR-IFR	ZDC CNTR/FSS	E
R-4007	To But Not Including 5000	Cont *1	1200-0400Z‡	VFR-IFR	ZDC CNTR/FSS	E
R-4002	5000 To 12500	Cont	Cont	VFR-IFR	ZDC CNTR/FSS	D
R-5801	To 4000	Mon-Fri	1300-2100Z‡	VFR-IFR	No A/G	‡
R-5802A	200 AGL To 5000	2/15-5/10 9/1-12/15 Sat Sun 5/11-8/31 Sat Sun-Fri *1	1300-0400Z‡ 1300-1700Z‡ 1300-0500Z‡ 1300-0100Z‡	VFR	ZNY CNTR/FSS	E
R-5802B	To 13000	2/15-5/10 9/1-12/15 Sat Sun 5/11-8/31 Sat Sun-Fri *1	1300-0400Z‡ 1300-1700Z‡ 1300-0500Z‡ 1300-0100Z‡	VFR	ZNY CNTR/FSS	E
R-5802C	500 AGL To But Not Including 17000	2/15-5/10 9/1-12/15 Sat Sun 5/11-8/31 Sat Sun-Fri *1	1300-0400Z‡ 1300-1700Z‡ 1300-0500Z‡ 1300-0100Z‡	VFR-IFR	ZNY CNTR/FSS	E
R-5802D	17000 To But Not Including FL 220	2/15-5/10 9/1-12/15 Sat Sun 5/11-8/31 Sat Sun-Fri *1	1300-0400Z‡ 1300-1700Z‡ 1300-0500Z‡ 1300-0100Z‡	VFR-IFR	ZNY CNTR/FSS	E
R-5803	To 4000	Mon-Fri	1300-2100Z‡	VFR-IFR	No A/G	‡
R-6608A-C	To 10000	Cont *1	1000-0500Z‡	VFR-IFR	FAA, POTOMAC TRACON	‡
R-6611A	To 40000	Mon-Fri *1	1300-2200Z‡	VFR-IFR	ZDC CNTR/FSS	D,E
R-6612	To 4000	Mon-Fri *1	1300-2200Z‡	VFR-IFR	ZDC CNTR/FSS	D
R-6613A	To 40000	Mon-Fri *1	1300-2200Z‡	VFR-IFR	ZDC CNTR/FSS	E
A-220	To 4000	Cont	1300-0300Z‡	VFR	No A/G	E
W-386	Unlid	Intermittent	By NOTAM	VFR-IFR	ZDC CNTR/FSS	F

*1 Other Times By NOTAM

*2 To But Not Including FL 180

San Francisco
Los Angeles
Phoenix
Denver
Kansas City
Dallas/Fort Worth
Chicago/Milwaukee

Warning: Refer to current foreign charts and flight information publications for information within foreign airspace

Minneapolis/St Paul
Detroit
St Louis
Atlanta
Jacksonville
Miami
Washington

UNITED STATES GOVERNMENT FLIGHT INFORMATION PUBLICATION IFR AREA CHARTS - U.S.

For use up to but not including 18,000' MSL

EFFECTIVE 0901Z 23 SEP 2010
TO 0901Z 18 NOV 2010

Consult NOTAMs for latest Information

Published by the
U.S. Department of Transportation
Federal Aviation Administration
AeroNav Services
<http://AERONAV.FAA.GOV>

CORRECTIONS, COMMENTS, AND/OR PROCUREMENT

FOR RECOMMENDATIONS REGARDING FORMAT AND CONTENT CONTACT:

FAA, Aeronautical Information Services, ATO-R
800 Independence Ave., S.W.,
Washington, D.C. 20591
Telephone 1-866-295-8236

FOR CHARTING ERRORS CONTACT:

FAA, National Aeronautical Navigation Services, ATO-W
SSMC-4, Sta. # 4259
1305 East-West Highway
Silver Spring, MD 20910-3281
Telephone 1-800-626-3677
Email 9-AMC-Aerochart@faa.gov

FOR PROCUREMENT CONTACT:

FAA, National Aeronautical Navigation Services
Distribution Team, ATO-W
10201 Goad Luck Road
Glenn Dale, MD 20769-9700
Online at <http://AERONAV.FAA.GOV>
Email 9-AMC-Chartsales@faa.gov
Tel. 1-800-638-8972 Fax 301-436-6829
or any authorized chart agent

MILITARY

For Corrections Information, See Chapter 11 of General
Planning (GP). For Procurement refer to DOD Catalog of
Aeronautical Charts and Flight Information Publications.

Frequently asked questions (FAQ) are answered on our web site at <http://AERONAV.FAA.GOV>.
See the FAQs prior to contact via toll free number or email.


ATTENTION


THIS CHART CONTAINS OFF ROUTE OBSTRUCTION CLEARANCE ALTITUDES (OROCA).

The off route obstruction clearance altitudes shown in quadrangles bounded by ticked lines of latitude and longitude are represented in THOUSANDS and HUNDREDS of feet above mean sea level. The OROCA is based on information available concerning the highest known features in each quadrangle, including terrain and obstructions. OROCA provides obstruction clearance with a 1000 foot buffer in designated non-mountainous areas and a 2000 foot buffer in designated mountainous areas within the United States. Far areas in Mexico and the Caribbean which are located outside of the U.S. ADIZ, OROCA provides obstruction clearance with a 3000 foot buffer. This altitude is provided for obstruction clearance only. It does not provide for NAVAID signal coverage or communication coverage, and would not be consistent with altitudes assigned by Air Traffic Control.

Example: 12,500 feet

12⁵







CORRECTIONS, COMMENTS, AND/OR PROCUREMENT	
<p>FOR RECOMMENDATIONS REGARDING FORNARD AND CHINCH COAST FNA, Aerialized Aeronautical Navigation Services, ARJ321 800 Independence Ave., S.W., Washington, DC 20591 Online at http://www.faa.gov/atsn Email: FAA-ATSN-ADM-lead@faa.gov Telephone: 1-866-255-8236</p>	<p>FOR PROCUREMENT CONTACT: FAA, National Aeronautical Navigation Services Procurement Team, ATD-W 1201 Gode Road Lock Galesville, MD 20724-9070 Online at http://www.faa.gov/atsn Email: FAA-Procurement@faa.gov Tel: 1-800-838-6782 Fax: 1-301-436-6829 or ATSN-OPS@faa.gov</p>
<p>FOR CHARTING SERVICES CONTACT: FAA, National Aeronautical Navigation Services, ATD-W 500 C St., Ft. Belvoir, MD 20745 1502 E Westwood Drive Ft. Belvoir, MD 20745-3281 Telephone: 800-265-3277 Email: FAA.aeronautical@faa.gov</p>	<p>FOR CORRECTIONS INFORMATION: See Chapter 11 of General Planning (GP). For procurement see the DOD Catalog of Aeronautical Charts and Flight Information Publications.</p>

[illegible]

ENTREPRENEURSHIP





EFFECTIVE 25 SEP 2010 TO 18 NOV 2010

G

PACIFIC OCEAN

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367


368





369

370


371

372






INTENTIONALLY LEFT BLANK

[illegible]

US H-8 (BLACK PLATE) US H-8 (BROWN PLATE) US H-8 (BLUE PLATE) US H-8 (GREEN PLATE)



H-9 H-10
UNITED STATES GOVERNMENT
FLIGHT INFORMATION PUBLICATION
IFR ENROUTE HIGH ALTITUDE - U.S.
For use on and above 18,000' MSL
EFFECTIVE 0901Z 23 SEP 2010
TO 0901Z 18 NOV 2010

H-9 H-10
UNITED STATES GOVERNMENT
FLIGHT INFORMATION PUBLICATION
IFR ENROUTE HIGH ALTITUDE - U.S.
For use on and above 18,000' MSL
HORIZONTAL DATUM: NORTH AMERICAN DATUM OF 1983

LEGEND

NAVIGATION AID SYMBOLS

COMMUNICATION BOXES

BOUNDARIES

REPORTING REQUIREMENTS

EXAMPLE OF GROUPING

CRUISING ALTITUDES - U.S.

FOR AERIAL PHOTOGRAPHY

FOR AERIAL PHOTOGRAPHY

NAVIGATION AID SYMBOLS

COMMUNICATION BOXES

BOUNDARIES

REPORTING REQUIREMENTS

EXAMPLE OF GROUPING

CRUISING ALTITUDES - U.S.

FOR AERIAL PHOTOGRAPHY

FOR AERIAL PHOTOGRAPHY

NAVIGATION AID SYMBOLS

COMMUNICATION BOXES

BOUNDARIES

REPORTING REQUIREMENTS

EXAMPLE OF GROUPING

CRUISING ALTITUDES - U.S.

FOR AERIAL PHOTOGRAPHY

FOR AERIAL PHOTOGRAPHY

NAVIGATION AID SYMBOLS

COMMUNICATION BOXES

BOUNDARIES

REPORTING REQUIREMENTS

EXAMPLE OF GROUPING

CRUISING ALTITUDES - U.S.

FOR AERIAL PHOTOGRAPHY

FOR AERIAL PHOTOGRAPHY

NAVIGATION AID SYMBOLS

COMMUNICATION BOXES

BOUNDARIES

REPORTING REQUIREMENTS

EXAMPLE OF GROUPING

CRUISING ALTITUDES - U.S.

FOR AERIAL PHOTOGRAPHY

FOR AERIAL PHOTOGRAPHY

NAVIGATION AID SYMBOLS

COMMUNICATION BOXES

BOUNDARIES

REPORTING REQUIREMENTS

EXAMPLE OF GROUPING

CRUISING ALTITUDES - U.S.

FOR AERIAL PHOTOGRAPHY

FOR AERIAL PHOTOGRAPHY

NAVIGATION AID SYMBOLS

COMMUNICATION BOXES

BOUNDARIES

REPORTING REQUIREMENTS

EXAMPLE OF GROUPING

CRUISING ALTITUDES - U.S.

FOR AERIAL PHOTOGRAPHY

FOR AERIAL PHOTOGRAPHY

NAVIGATION AID SYMBOLS

COMMUNICATION BOXES

BOUNDARIES


REPORTING REQUIREMENTS

EXAMPLE OF GROUPING

CRUISING ALTITUDES - U.S.


FOR AERIAL PHOTOGRAPHY

FOR AERIAL PHOTOGRAPHY

[illegible]

INTENTIONALLY LEFT BLANK

INTENTIONALLY LEFT BLANK



K 16.1 (BLACK PLATE) AK 16.1 (BROWN PLATE) AK 16.1 (BLUE PLATE) AK 16.1 (GREEN PLATE)

